10274 Ghostbusters

LED lighting Kit (Sound and Light Remote Control Version)

LG117/GC117

Instructions for installing this kit:



Step 1

Test:

This product has 8 bags, and the battery box is a gift. (Without battery)




Take out the parts in bag 6. (the parts used in this article are all samples, and may be slightly different from the finished product, please forgive me).



Take out an 8-seater expansion board from the No. 7 bag.




Take out the expansion board and USB power cord separately.




The power supplies that can be used with the USB power cord are as follows.


USB connectors to connect devices




Tear off the seal of the expansion board.




Please pay attention to the use of the interface. The interface is small. Please use it carefully: the = number of the 2P interface is aligned with the = number of the expansion board. The equal sign on the expansion board refers to the two solder joints on the outside, not the two inside the jack Metal pin.







Connect the USB power cord to the expansion board.




The other side of the USB power cord is connected to the mobile power supply (power supply is self-provided).




Take out the lighting from the No. 1 bag.



Connect them to the expansion board. Test whether the lighting is normal, if there is any abnormality, please contact us in time.



After the test is complete, unplug the lighting from the expansion board.



Put the non-abnormal lighting parts back into the original bag first.




In order to avoid not lighting up after installation, the lighting in other bags should be tested in the same way before installation.




Note:


Please be careful when installing. The lamp wire is relatively slender and cannot be pressed on the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.




start installation:


























































































































































Note:


Please be careful when installing. The lamp wire is relatively slender and cannot be pressed on the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.









































































Keep your fingers pressed to avoid falling off.



























































































When installing, the solder joints face yourself.







































Breathing light module





































































































































































































TION
JLLY OPEN
LOSED
T OPEN CHANNEL
T OPENED PATH
RATE
E


Precautions:


- 1. The new remote control lighting is divided into 4 channels, which can be controlled individually
- 3. Music and lighting can be turned off separately


Please connect the roof light to port "A" of the module.




Because the power consumption of the breathing module on the roof is relatively large, and there are more lights on the whole car, it may appear that the lights cannot be lit at one time, you can try to turn on A-B-C-D in turn. If you turn on the other lights (B-C-D) first, and then turn on the roof light (A), the other lights may suddenly go out. The power consumption of this set of products is relatively large, it is recommended to use the USB power cord to connect to a stable voltage mobile power supply or mobile phone charger for power supply (normally use the power supply 5V). Please forgive me for the inconvenience.



















	NEW FUNCTION DESCRIPTION
ON: A	ALL LIGHTING BRANCHES ARE FULLY OPEN
OFF:	ALL LIGHTING BRANCHES ARE CLOSED
A: OP	EN/CLOSE A BRANCH
B: OP	EN/CLOSE B BRANCH
C: OP	EN/CLOSE C BRANCH
D: OP	PEN/CLOSE D BRANCH
FS: TU	JRN ON BLINKING FOR THE LAST OPEN CHANNEL
BLN:	START BREATHING FOR THE LAST OPENED PATH
↑: IN	CREASE BLINKING/BREATHING RATE
↓: RE	DUCE FLICKER/BREATHING RATE
* +:	INCREASE BRIGHTNESS
\$ ∹: I	REDUCE BRIGHTNESS
♦ : B	URST MODE
۲()+: ۱	OLUME INCREASE
650	

Precautions:

- 1. The new remote control lighting is divided into 4 channels, which can be controlled individually
- 3. Music and lighting can be turned off separately

The installation is complete.



The above are ideas and instructions provided by our designers. Please move on:

- 1: Do you have any suggestions about the material and quality of our products?
- 2: Do you have any suggestions on the installation instructions and the degree of difficulty of the installation?
- 3: If you have better installation method and ideas, please contact us in time.