10220 Volkswagen T1 Camper Van

LED lighting Kit (Remote Control Version) GC168/LG168

Installing Instructions:



Please follow below two parts to finish the installation of the lighting

Step 1: Test

Step 2: Installation

Let us start.

Step 1: Test

This item have totally 4 packs included (one is a freebie battery box, not included battery).



Totally 4 packs lighting kit set included, please confirm you have received the right quantity (The parts used in here all sample product, which may be slightly different from the bulk products).






Take out the USB power cord, remote control, and remote control module. The usage of the USB power cord is similar to that of the battery box, and it can be powered by a power bank or a mobile phone charger. The battery box and the USB power cord can be freely chosen, choose one of the two (the USB power cord used in this article).




Available power supply devices for USB power cord.

USB connectors to connect devices




Please pay more attention and carefully using the connector for it is small. The "="of the 2P interface is aligned with the "=" of the expansion board. The "=" on the expansion board refers to the two outside solder joints, not the two metal pins inside the jack.








Connect the USB power cord to the remote control module.






Connect the other side of the USB power cord to the mobile power supply (power prepare by yourself).



Take out pack No.1 lighting kit.



Connect the lighting to the remote control module.



Take out the insulating film of the remote control, and the box-selected button is the open button.





ON: All branches are opened

OFF: all branches are closed

A: open/close A road

B: open/close B road

C: open/close C road

D: open/close D road

FS: Turn on blinking for the last

open channel

BLN:Start breathing for the last

opened path


↑: Increase blinking/breathing rate

↓: Increase blinking/breathing rate


Brightness+: VIncrease brightness

Brightness -: Reduce brightness

Use the remote control switch to test whether the lighting is normal. If there is any abnormality, please contact us in time.



After the test is completed, unplug the lighting from the remote control module.




Put the okay lamp pellets back in the original packaging bag. To avoid the lighting kit can not work normally, please follow above method to test the other packs lighting kit before install it.



Attention:


Please be careful when installing since the lamp thread is slender. Cannot be pressed against the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.





Step 2


start installation:





























Put the yellow lighting parts through the small holes in the picture, and then place the lighting lines in the gaps between the building blocks.














































































Remote control function description SHUNT BRIGHTNESS H BRIGHTNESS H REMOTE CONTROL | March | Mar

ON: All branches are opened OFF: all branches are closed

A: open/close A road

B: open/close B road

C: open/close C road

D: open/close D road

FS: Turn on blinking for the last open channel

BLN:Start breathing for the last opened path

↑: Increase blinking/breathing rate

↓: Increase blinking/breathing rate

Brightness+: VIncrease brightness

Brightness -: Reduce brightness

Complete install and plug in the power to try it.



Above creative ideas and instructions are provide by our designers.

But we treasure your suggestions or opinions on below.

- 1. Parts materials, product quality, others about our company?
- 2. Installation instructions of this product and the difficulty during install?
- 3. If you encounter any problems during using our product, please contact us in time.