71040 The Disney Castle LED lighting Kit (RGB Remote Control Version) LG18/GC18

Instructions for installing this kit:



Please follow below two parts to finish the installation of the lighting

Step 1 : Test

Step 2 : Installation

Let us start.

Step 1 : Test




This item have totally 8 packs included (one is a freebie battery box, not included battery).

Take out the expansion board and USB power cord from the No. 8 bag (the parts used in this article are all samples, and may be slightly different from the finished product, please forgive me).




Available power supply devices for USB power cord.

USB connectors to connect devices




Tear off the seal of the expansion board.




Please pay more attention and carefully using the connector for it is small.The "="of the 2P interface is aligned with the "=" of the expansion board.The "=" on the expansion board refers to the two outside solder joints, not the two metal pins inside the jack.








Connect the USB power cord and expansion board together.






Then take out the battery box in the No. 7 bag.



Open the battery compartment cover.



Install the battery (battery provided by yourself), and then close the battery compartment cover.




Connect the USB power cord to the battery box.








Connect them.




Connect the lights in the No. 1 bag to the expansion board.




Turn on the power switch.



Test whether the lighting is normal, if there is any abnormality, please contact us in time.



After the test is complete, unplug the lighting from the expansion board.



To avoid losing or mixing up the lighting, put the tested lighting back into the original bag first.




In order to prevent the lighting from not bright after installation, the lighting in other bags are also tested in the same way. After testing a bag, please temporarily put it back in the original bag to avoid confusion with each other.



Attention:

Please be careful when installing since the lamp thread is slender.Cannot be pressed against the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.




Step 2

start installation:












































































































































































































































































































































Note:


Please be careful when installing. The lamp wire is relatively slender and cannot be pressed on the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.




















































































































































Complete install and plug in the power to try it.



Above creative ideas and instructions are provide by our designers.

But we treasure your suggestions or opinions on below.

1. Parts materials, product quality, others about our company?

2. Installation instructions of this product and the difficulty during install?

3. If you encounter any problems during using our product, please contact us in time.