

# 21319 Friends Central Perk GC30

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



# Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

## **Section A:** Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

## **Section B:** Test that each components is working properly.

Each components is Manual customization so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

## **Section C:** laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation steps.

## Section A: Check the type and quantity of components.

This set contains six bags labelled "1" "2" "3" "4" "5" "6", please make sure that the components in each bag are the same as shown in the pictures.



Please contact us immediately if there have any missing components.

**Section B:** Test that each components is working properly.

Take out the Remote Control Board and the USB Power Cable from No. 5 bag and No.6 bag.



The USB AAA Battery Box does not contain batteries, please buy three AAA batteries in the nearest store and install it in the USB AAA Battery Box.



Connect the battery box and USB Power Cable as shown.




Connect all the components in No.1 bag, No.2 bag, No.3 bag, No.4 bag to the remote control board in same way just as shown.



The remote control does not contain batteries, please buy a 2025 or 2032 button battery in the nearest store and install it in the remote control.



**Turn on the Remote Control, all the lights are on as shown.**



**Unplug these four components and put them back in the corresponding bags. Attention that after the test is completed, each components should put back in the corresponding bag including the remote control board and the usb power cable.**

**Please contact us immediately if any components don't work.**

**Section C:** laying out components following the instruction.

1



2



3




4



5





6








7





8



9




10



11




12





13




14




Take out the flame module and insert the plug into the OUT socket on the same side as the 5cm cable.




15




16





17



18





19





20




21




22





23





24





25




26




27



28




29








30





31





32




33




34



35





36




37



38



39




40



41




42



43



44



45



46



47



48



49



50



51



52



53





54



55



56



57





58




59



60




61




62





63




64




65




66




**Find the tail wire of the spotlight and insert it into the A socket of the remote control module (there is a mark near the socket).**





**Find the tail wire of the street light and insert it into the B socket of the remote control module.**





**Insert the 5cm cable into the C socket of the remote control module.**





**Find the tail wire of the lantern and insert it into the D socket of the remote control module.**





**67**



68




69




70



71



72



73





Good job, you've done all the installation steps, power it up and enjoy your work.

