

BRICK BLING

INSTALLATION INSTRUCTIONS

21352 Magic of Disney

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

Section A: Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

Section B: Test that each components is working properly.

Each components is Manual customization so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

Section C: laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation steps.

BRICK BLING

Section A: Check the type and quantity of components.

This set contains four bags labelled "1" "2" "3" "4", please make sure that the components in each bag are the same as shown in the pictures.



Please contact us immediately if there have any missing components.

Section B: Test that each components is working properly.

Take out the Expansion Boards and the USB Power Cable from N0.2 bag and No.3 bag.




It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.


Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board. shown as blow.

Side-Mounted Expansion Board


BRICK
BLING



Connect the Expansion Board and USB Power Cable as shown.




Connect the other end of the USB power cable to the power supply.



BRICK BLING

The USB Power Cord can be powered by phone chargers, power banks, etc. This instruction will use the power bank as power supply.



Connect all the components in No.1 bag to the Expansion Board in same way just as shown. Turn on the power bank, all the lights are on as shown. Remove the lamp after the test.



Unplug these two components and put them back in the corresponding bags. There are four in bag NO.2 need to be tested.

Attention that after the test is completed, each component should be put back in the corresponding bag including the socket and the USB power cable.

Please contact us immediately if any components don't work.

BRICK BLING

Section C: laying out components following the instruction.

1



2



3




BRICK BLING


4



5





6



BRICK BLING

7




8



9




10





11




12




13



14



15



BRICK BLING


16




17



18



19




20




21




22




23





24




25




26





27





28



29




30




BRICK BLING



31




32



33



34



35



36



37



38



39



BRICK BLING

40



41




42




BRICK BLING

43



44



45



46



47



48



BRICK BLING

49



50



51




BRICK BLING

52



53



54




BRICK BLING



55



56



57




BRICK BLING



58



59




60





BRICK BLING


61





62




63





64



65





66





BRICK BLING

67



68




69



BRICK BLING


70



71





72





BRICK BLING

73





74




75





76



77



78




79




80





81




82



83




84



Music Module Function Introduce

BRICK
BLING





TIPS:


This module function is similar to MP3. Imports your favorite music files into the module through the data cable, and then switch on the module to play the stored music. Music files can be replaced arbitrarily.

- ① **USB data cable:** used to connect modules to the computer to replace music files.
- ② **The music control button:** from left to right, is "previous song", "pause/play", "next song".
- ③ **Micro-USB port:** music transmission port, it is recommended to use the music format MP3 file, the built-in capacity of the module is 16MB.
- ④ **The power input port:** used to supply power to the module, and the voltage is 5V DC power.
- ⑤ **The speaker interface**
- ⑥ **The volume control button:** rotate button to adjust the volume .
- ⑦ **The speaker**



85




86





87



88



89





Good job, you've done all the installation steps, power it up and enjoy your work.



The battery box in bag NO.3 can also power the set. If it is necessary to change the power supply , prepare three AAA batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the USB Power Cable from the socket of the expansion board,plug the plug of the battery box to the same socket in the expansion board to power the suit as well.

THANKS