


BRICK BLING

INSTALLATION INSTRUCTIONS

71438 Super Mario World: Mario & Yoshi

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

Section A: Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

Section B: Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

Section C: laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation step.

BRICK BLING

Section A: Check the type and quantity of components.

There are 11 bags in this set.

Please contact us immediately if there have any missing components.

Section B: Test that each components is working properly.

We need a structure to test all lights, so take out the bag with label “USB Power Cord” and “Expansion Boards” as follows.




It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.

Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board. shown as blow.


Expansion Board

BRICK
BLING




All our connections between plug and socket are all the same as shown above. So for any such structure with plug and socket, please pay attention to the golden wire of the plug and the golden needle of the socket, they must be touched together.

The connection method between the USB Power Cord and Expansion Boards is as follows:



The USB Power Cord can be powered by phone chargers, power banks, etc.

USB connectors to connect devices



This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.



BRICK BLING

When we test "①" particles, Take out the bag labelled "①". Take out one of the light and connect it to the socket. Turn on the power bank, the light will turn on normally as shown below.



Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.



Please contact us immediately if any components don't work.


BRICK BLING

Section C: laying out components following the instruction.

1



2




3




BRICK BLING

4



5



6





BRICK BLING

7



8





9





BRICK BLING


10



11



12




BRICK BLING

13





14



15





16



17




18



BRICK BLING



19



20





21



BRICK BLING



22




23




24




25



26




27



BRICK BLING


28




29





30




31



32




32





BRICK BLING


33



34




35




36





37



38



39




40



Music Module Function Introduce

BRICK
BLING




TIPS:

This module function is similar to MP3. Imports your favorite music files into the module through the data cable, and then switch on the module to play the stored music. Music files can be replaced arbitrarily.



- ① **USB data cable:** used to connect modules to the computer to replace music files.
- ② **The music control button:** from left to right, is "previous song", "pause/play", "next song".
- ③ **Micro-USB port:** music transmission port, it is recommended to use the music format MP3 file, the built-in capacity of the module is 16MB.
- ④ **The power input port:** used to supply power to the module, and the voltage is 5V DC power.
- ⑤ **The speaker interface**
- ⑥ **The volume control button:** rotate button to adjust the volume .
- ⑦ **The speaker**

BRICK BLING

41



42




43



BRICK BLING

Good job, you've done all the installation steps, power it up and enjoy your work.



The battery box can also power the set. If it is necessary to change the power supply , prepare three AAA batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the USB Power Cable from the socket of the expansion board,plug the plug of the battery box to the same socket in the expansion board to power the suit as well.

THANKS