# 41393 Friends Baking Competition LED lighting Kit (Standard style) LG46/GC46

## Instructions for installing this kit:



There are 2 bags of this product, and the No. 7 battery box is a gift. (Without battery)




## **Lighting test:**


Take out the parts in the No. 2 bag (the parts used in this article are all samples, and may be slightly different from the finished product, please forgive me).




Take out the battery box and expansion board separately.



Notice.




Connect them and pay attention to the method.




Open the battery box cover, install the battery, pay attention to the positive and negative poles.






Close the battery compartment cover.




Take out the lighting parts from bag No. 1 and untie the cable tie.



Connect the small plug of the lighting to the expansion board.




Pay attention to the pros and cons, do not use too much force.




Turn on the switch on the battery box.




Test whether the lighting is normal, if there is any abnormality, please contact us in time.




After there is no abnormality, unplug the light strip from the expansion board.



The picture shows the USB power cord. Its usage is similar to that of a battery box. You can use a power bank or mobile phone charger to supply power. See above for details. The battery box and USB power cord can be freely selected (the battery box is used in this article).




# **USB** connectors to connect devices




#### Note:


Please be careful when installing. The lamp wire is relatively slender and cannot be pressed on the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.




### start installation:




















#### Note:

Please be careful when installing. The lamp wire is relatively slender and cannot be pressed on the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.







































































The installation is complete.



The above are ideas and instructions provided by our designers. Please move on:

- 1: Do you have any suggestions about the material and quality of our products?
- 2: Do you have any suggestions on the installation instructions and the degree of difficulty of the installation?
- 3: If you have better installation method and ideas, please contact us in time.