


42123 McLaren Senna GTR LED lighting Kit (Remote Control Version) LG63


Instructions for installing this kit:



Power supply mode: USB power cord (please bring your own power supply).

It can be energized through a USB battery box (please pay attention to the positive and negative poles of the battery), power bank, mobile phone charger or USB socket. The normal voltage is 3-5V.

USB connectors to connect devices



There are 6 bags of this product, and the No. 7 battery box is a gift. (Without battery)



Open the bag from the place where the red line is drawn, don't tear it from the middle, so as not to damage the lighting




Lighting test:



Take out the parts in the No. 5 and No. 6 bags.




Take out the battery box and module separately.




Connect the 2P terminal wire of the battery box to the module, paying attention to the position and method.



Open the battery box cover, install the battery, pay attention to the positive and negative poles.






Close the battery compartment cover.



Take out the lighting from the No. 1 bag.



Connect the lighting to the module.



Turn on the power switch.



Unplug the insulating film behind the remote control.



Test whether the light is normally lit, please contact us in time if there is any abnormality.



Remote control function description



ON: All branches are opened

OFF: all branches are closed

A: open/close A road

B: open/close B road

C: open/close C road

D: open/close D road

FS: Turn on blinking for the last open channel

BLN: Start breathing for the last opened path



↑: Increase blinking/breathing rate

↓: Increase blinking/breathing rate


Brightness+: Increase brightness

Brightness -: Reduce brightness


After there is no abnormality, pull out the lighting and put it back in the original bag.



The lighting in other bags is also tested. After the test, the lighting is put back into the original bag.




The picture shows the USB power cord. Its usage is similar to that of a battery box. You can use a power bank or mobile phone charger to supply power. See above for details. The battery box and USB power cord can be freely selected (the battery box is used in this article).






Note:


Please be careful when installing. The lamp wire is relatively slender and cannot be pressed on the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.





start installation:































































































































































































The installation is complete.



Remote control function description



ON: All branches are opened

OFF: all branches are closed

A: open/close A road

B: open/close B road

C: open/close C road

D: open/close D road

FS: Turn on blinking for the last open channel

BLN: Start breathing for the last opened path

↑: Increase blinking/breathing rate

↓: Increase blinking/breathing rate

Brightness+: Increase brightness

Brightness -: Reduce brightness

The above are ideas and instructions provided by our designers. Please move on:

1: Do you have any suggestions about the material and quality of our products?

2: Do you have any suggestions on the installation instructions and the degree of difficulty of the installation?

3: If you have better installation method and ideas, please contact us in time.