

# 40487 Sailboat Adventure LED lighting Kit (Standard) LG71


## Instructions for installing this kit:



**Power supply mode:** USB power cord (please bring your own power supply).

It can be energized through a USB battery box (please pay attention to the positive and negative poles of the battery), power bank, mobile phone charger or USB socket. The normal voltage is 3-5V.

# USB connectors to connect devices



## Lighting test:



There are a total of 3 bags of this product, and 7 Battery Pack is a gift. (The battery is not provided in this product, please bring your own)




Take out the accessories from bag 3.






Tear off the cover tape on the expansion board.





Take out the battery box and expansion board separately.





Please pay attention to the way the interface is used. The interface is small, please use it carefully: the = sign of the 2P interface is aligned with the = sign of the expansion board.



Connect them and pay attention to the method.



Open the battery box, install the battery, pay attention to the positive and negative poles.






Close the battery compartment cover.





Take out the lighting from bag 1 (the lighting used in this article are all samples, which are slightly different from the finished product, please forgive me).




Connect them to the expansion board.



Turn on the power to check the lighting (if there is any abnormality, please contact us in time).




After the test is normal, pull out the lighting and temporarily put it back in the original bag.



Then test the lighting in the No. 2 bag.






After there is no abnormality, put the lighting back into the original bag.




**Note:**



Please be careful when installing. The lamp wire is relatively slender and cannot be pressed on the raised position of the building block. It should pass along the gap, otherwise the lamp wire will be pinched.






**start installation:**





























































































































































































The installation is complete.



The above are ideas and instructions provided by our designers. Please move on:

- 1: Do you have any suggestions about the material and quality of our products?
- 2: Do you have any suggestions on the installation instructions and the degree of difficulty of the installation?
- 3: If you have better installation method and ideas, please contact us in time.