10366 Tropical Aquarium

• Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

Section A: Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material.

The type of components is indicated by the label on the bag.

Section B: Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work.

Section C: laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation step.

Section A: Check the type and quantity of components.

This set contains nineteen bags labelled "1" "2" "3" "4" "5" "6" "7" "8" "9" "10" "11" "12" "13" "14" "15" "16" "17" "18" "19", please make sure that the components in each bag are the same as shown in the pictures.



































Remote control safety lock and battery model description

Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.










Remote Control Module Testing



Remove the light fixture from any bag and connect it to the output port of the remote control template.

Testing Procedure:

- $1.\,\mathrm{Press}$ the ON button on the remote control;
- 2. Observe whether the lighting fixture illuminates;
- $3.\,\mathrm{Press}$ the OFF button on the remote control;
- 4. Test each output port individually.

Please contact us immediately if there have any missing components.


Section B: Test that each components is working properly.

Take out the expansion board and usb power cable from "No. 15 bag " and the "No. 19 bag" .



It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.

Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board.shown as blow.




All our connections between plug and socket are all the same as shown above. So for any such structure with plug and socket, please pay attention to the golden wire of the plug and the golden needle of the socket, they must be touched together.

The connection method between the usb power cord and expansion boards is as follows:



The usb power cable can be powered by phone chargers, power banks,etc.

USB Connectors to Connect Devices




This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.



When we test the "⑤" lighting fixtures, remove one of them and connect it to the socket. Turn on the portable power bank, and the light strip will light up normally, as shown in the figure below.



Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.



LED strip test:

Take out the led light bar, connect the usb power cable, turn on the mobile power supply, the light will be on normally, as shown in the figure below.



Section C: laying out components following the instruction.













































12. Thread the lamp wire through the empty gap of the building block to the bottom and tighten it, then clip the lamp wire into the gap of the building block.



13. Take out the previously installed sea anemone tentacle, thread the light wire on it through the empty gap of the building block to the bottom and tighten the wire, then clip the light wire into the gap of the building block, and finally, restore the sea anemone tentacle.












Breathing Light Module Function Introduce



































28.Align the heat-shrink tubing of the light strip with the end of the seaweed building block, then wrap it around the light string. Finally, push the leaves of the seaweed back.


































42.Find the connecting wire in the diagram, twist it into a single strand, and then place it inside the block (be careful not to let the wire get stuck in the gear block, otherwise it may get stuck when you rotate the adjustment dial later).
























































































































89.Start from the middle position and flip the model to the position shown in the diagram (do not flip it directly from the frame, as it is easy to fall apart).






































































































127. Take out one pink string light from bag number 7 and wrap it around the coral (when wrapping the string light, you need to push the bottom rod upwards to make the top purple block protrude as shown in the picture, otherwise it is easy to fall apart).







































































153. Take out the lighting fixture with the shortest wire length from Bag 1.






























































































193. Wrap the lamp cord around the emerald green coral twice.






























































































































Remote control safety lock and battery model description

Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.









Remote Control Function Introduce


ON: All lights turn on sequentially.

OFF: All lights are off.

- : A, B, C, D are turned on slowly in sequence.
- : Breathing light mode.
- <ৈ: A and D the light is on and C and B flash alternately.
- : A the light is on, B, C, D flow light effect I.
- : A the light is on, B, C, D flow light effect II.
- : Quickly open from A to D in turn.
- ∴ A, B, C, D flow light effect.
- | (: A, B, C, D flash alternately.





- A: Turn A on/off.
- B: Turn B on/off.
- C: Turn C on/off.
- D: Turn D on/off.
- **†:** Increase frequency.
- ↓: Decrease frequency.
 - +: Brightness+: Increases brightness
- 学-: Brightness+: Increases brightness













Good job, you've done all the installation steps, power it up and enjoy your work.



Tips

If you encounter any installation problems please contact the seller, we will be happy to help you solve!