

10293 Santa' s Visit LED lighting Kit (Sound and Light Remote Control Version)

P27404

Thank you for choosing our lighting products. We are committed to LEGO product study and lighting development, we're always trying our best to provide LEGO fans with the best products and the best installation ideas. Must be careful observation, imagination can be infinite. We provide basic parts to support your imagination.

DO IT YOURSELF .that's what LEGO is .

As always, Lego has been adhering to the DIY philosophy from product selection, research and development to sales. Consumers buy the parts, you will assemble them by yourself, and you can experience every step from picking up the first piece to installing the last one. Besides, LEGO has different answers for the installation form and method of each part. Vonado lighting also does not want to kill your unlimited creativity, we will try our best to make products with high variability, high play ability and unlimited play. If you have any dissatisfaction or your own ideas on the parts such as the color of the lights, the length of the cables, the installation position of the product, and the final effects of each module, you can make your own arrangement, and we will cooperate with you to replace or repurchase.

LETS MOVE!


Package contents:

- 5 x Bit Lights-15CM-Warm White
- 1 x Bit Lights-15CM-Red
- 1 x Bit Lights-30CM-Warm White
- 1 x Multi-Colour Lights-15CM
- 1 x Headlights-15CM-Warm White
- 1 x Headlights-30CM-Warm White
- 2 x 6-Port Expansion Boards
- 4 x 4-Port Expansion Boards
- 1 x 50CM USB Power Cable
- 2 x Connecting Cables-10CM
- 3 x Connecting Cables-20CM
- 1 x Connecting Cables-50CM
- 2 x Multi-Colour Light String
- 1 x Light Strips-Warm White -7
- 3 x Light Strips-Warm White -21
- 1 x Sound Remote Control
- Parts Package



First step:


Test every lamp pellet.






Second step:

Instructions for installing this kit.







































Friendly tips

The small round pellets in the parts package are designed with openings. After manual processing, the cut-out gap is about 1mm wide and 2mm deep.



No opening:







Opening pieces:







Need to install the lamp thread through the gap on the building block.









































































































Please pay attention to the use of the interface. The interface is small. Please use it carefully: the = number of the 2P interface is aligned with the = number of the expansion board. The equal sign on the expansion board refers to the two solder joints on the outside, not the two inside the jack Metal pin.








































































































Please pay attention to the use of the interface. The interface is small. Please use it carefully: the = number of the 2P interface is aligned with the = number of the expansion board. The equal sign on the expansion board refers to the two solder joints on the outside, not the two inside the jack Metal pin.









































































































Friendly tips

The small round pellets in the parts package are designed with openings. After manual processing, the cut-out gap is about 1mm wide and 2mm deep.



No opening:



Opening pieces:







Need to install the lamp thread through the gap on the building block.













































































































Please pay attention to the use of the interface. The interface is small. Please use it carefully: the = number of the 2P interface is aligned with the = number of the expansion board. The equal sign on the expansion board refers to the two solder joints on the outside, not the two inside the jack Metal pin.














THE NEW





| NEW FUNCTION DESCRIPTION |
|--|
| ON: ALL LIGHTING BRANCHES ARE FULLY OPEN |
| OFF: ALL LIGHTING BRANCHES ARE CLOSED |
| A: OPEN/CLOSE A BRANCH |
| B: OPEN/CLOSE B BRANCH |
| C: OPEN/CLOSE C BRANCH |
| D: OPEN/CLOSE D BRANCH |
| FS: TURN ON BLINKING FOR THE LAST OPEN CHANNEL |
| BLN: START BREATHING FOR THE LAST OPENED PATH |
| ↑ : INCREASE BLINKING/BREATHING RATE |
| ↓ : REDUCE FLICKER/BREATHING RATE |
| ☀+: INCREASE BRIGHTNESS |
| ☀-: REDUCE BRIGHTNESS |
| ⚡: BURST MODE |
| 🔊+: VOLUME INCREASE |
| 🔊- : VOLUME DOWN |



Precautions:



1. The new remote control lighting is divided into 4 channels, which can be controlled individually
3. Music and lighting can be turned off separately

















































































Friendly tips

The small round pellets in the parts package are designed with openings. After manual processing, the cut-out gap is about 1mm wide and 2mm deep.


No opening:






Opening pieces:






Need to install the lamp thread through the gap on the building block.














The above are ideas and instructions provided by our designers. Please move on:

1: Do you have any suggestions about the material and quality of our products?

2: Do you have any suggestions on the installation instructions and the degree of difficulty of the installation?

3: If you have better installation method and ideas, please contact us in time.