

76989 Horizon Forbidden West: Tallneck P35003

- P35003 is the unique code of lighting set, we use this to accurately identify the product you purchased and the corresponding manuals and services you need to obtain. Please make sure your product code is the same as the label on the back of the box shown “76989 P35003”.
- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

Section A: Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material.

The type of components is indicated by the label on the bag.

Section B: Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

Section C: laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation steps.

Section A: Check the type and quantity of components.

There are 16 bags in this set. The name and quantities of specific components are as shown , please check carefully.

Label	Content	Quantity
Light-15CM Green	Light-15CM Green	1
Light-30CM Yellow	Light-30CM Yellow	1
Light-30CM Green	Light-30CM Green	3
Light-30CM Red	Light-30CM Red	1
Fast Flash-30CM Multi-Colour	Fast Flash-30CM Multi-Colour	1
High-Brightness Light 30CM-Warm White	High-Brightness Light 30CM-Warm White	2
LED Strip Blue	LED Strip Blue	4
Expansion Board	4 Socket Expansion Board	2
Power Supply	Power Supply	1
Connecting Cable 5CM	Connecting Cable 5CM	4
Connecting Cable 30CM	Connecting Cable 30CM	2
Connecting Cable 10CM	Connecting Cable 10CM	1
Traffic Light Effect Module	Traffic Light Effect Module	1
Flash Light-15CM Red	Flash Light-15CM Red	1
Remote Control	Remote Control	1
Components		

Please contact us immediately if there have any missing components.


Section B: Test that each components is working properly.

We need a structure to test all lights, so take out the bag with label “USB Power Cord” and “Expansion Boards” as follows.



It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.

Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board. shown as blow.




All our connections between plug and socket are all the same as shown above. So for any such structure with plug and socket, please pay attention to the golden wire of the plug and the golden needle of the socket, they must be touched together.

The connection method between the USB Power Cord and Expansion Boards is as follows:




The USB Power Cord can be powered by phone chargers, power banks, etc.



This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.



when we test " Light-15CM Green" particles,Take out the bag labelled " Light-15CM Green".Take out one of the light and connect it to the socket. Turn on the power bank, the light will turn on normally as shown below.



Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.




The components needs to be tested in this set is 1*Light-15CM Green,1*Light-30CM Yellow,3*Light-30CM Green,1*Light-30CM Red,1*Fast Flash-30CM Multi-Colour,2*High-Brightness Light 30CM-Warm White,4*LED Strip Blue,1*Flash Light-15CM Red.


Please contact us immediately if any components don't work.

Section C: laying out components following the instruction.


1




2



3





4




5



6




7



8



9



Tips

The slit on the the plate round 1X1 are hand-made to avoid squeeze the wire and cause short circuit and abnormalheat during installation.

The plate without slit:

The plate without slit:

The squeeze causes the protective layer of the wire to be torn apart, the positive and negative wires touch together, and the set is short-circuited and the hot or wire is crushed, the wire to be disconnected and don't work.




The plate with slit:

The plate with slit:



The wire has enough space to avoid being squeezed endowed with longer service life and more stable effect.





10




11



12





Tips

The slit on the the plate round 1X1 are hand-made to avoid squeeze the wire and cause short circuit and abnormal heat during installation.

The plate without slit:

The plate without slit:

The squeeze causes the protective layer of the wire to be torn apart, the positive and negative wires touch together, and the set is short-circuited and the hot wire is crushed, the wire to be disconnected and don't work.





The plate with slit:

The plate with slit:



The wire has enough space to avoid being squeezed endowed with longer service life and more stable effect.




14





15





16




17




18



19





20




21





22




23





24





25





26





27




28



29





30




31



32



33




Power Input: 5V DC voltage.

There are 3 power output ports: "R" port, "Y" port and "G" port.

Mode toggle switch: There are two modes switch, No. 3 gear, and No. 2 gear.

When the switch is on No. 3 gear, the power output mode is "R" lights up first, after 5 seconds "R" flashes three times and then goes out. Then "Y" lights up, after 3 seconds "Y" flashes three times then turns off. Later "G" lights up, after 5 seconds "G" flashes three times then turns off. The modes keep cycling in turn as above sequence. When the switch is on No. 2 gear, the power output mode is "R" lights up first, after 3 seconds "Y" lights up. Then after 2 seconds "R" flashes three times and goes out. Later "G" lights up, after 3 seconds "Y" flashes three times and goes out. After 2 seconds, "G" flashes three times then goes out and the R light up. The modes keep cycling in turn as above sequence.



34




35





36





37





38





39





40





41




42




43




44





45





46





47




48




49




50




51





52



53



54



55





Tips

The slit on the the plate round 1X1 are hand-made to avoid squeeze the wire and cause short circuit and abnormal heat during installation.

The plate without slit:

The plate without slit:

The squeeze causes the protective layer of the wire to be torn apart, the positive and negative wires touch together, and the set is short-circuited and the hot wire is crushed, the wire to be disconnected and don't work.





The plate with slit:

The plate with slit:


The wire has enough space to avoid being squeezed endowed with longer service life and more stable effect.




57



58





59




60





61




62





63




64





65




66





67




68





69





70





71





72




73



74



75




76





77



78





79





80




81




82





83




84



85



86



87



88



89




Tips

The slit on the the plate round 1X1 are hand-made to avoid squeeze the wire and cause short circuit and abnormal heat during installation.

The plate without slit:

The plate without slit:

The squeeze causes the protective layer of the wire to be torn apart, the positive and negative wires touch together, and the set is short-circuited and the hot or wire is crushed, the wire to be disconnected and don't work.





The plate with slit:

The plate with slit:



The wire has enough space to avoid being squeezed endowed with longer service life and more stable effect.



90





91





92




93





94





95





96




97




98





99





100





101





102





103



104




105



106




107




108




109





110




111




112





113



114



115



116




Remote control function description

- ON: All branches are opened
- OFF: all branches are closed
- A: open/close A road
- B: open/close B road
- C: open/close C road
- D: open/close D road
- FS: Turn on blinking for the last open channel
- BLN: Start breathing for the last opened path
- ↑: Increase blinking/breathing rate
- ↓: Increase blinking/breathing rate
- Brightness+: Increase brightness
- Brightness -: Reduce brightness



117





118




119




120



121



122



123



Remote control function description

ON: All branches are opened
 OFF: all branches are closed
 A: open/close A road
 B: open/close B road
 C: open/close C road
 D: open/close D road
 FS: Turn on blinking for the last open channel
 BLN: Start breathing for the last opened path
 ↑: Increase blinking/breathing rate
 ↓: Increase blinking/breathing rate
 Brightness+: Increase brightness
 Brightness -: Reduce brightness

Good job, you've done all the installation steps, power it up and enjoy your work.



The battery box can also power the set. If it is necessary to change the power supply , prepare three AAA batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the USB Power Cable from the socket of the expansion board,plug the plug of the battery box to the same socket in the expansion board to power the suit as well.

THANKS