

BRICK BLING

INSTALLATION INSTRUCTIONS

21351 Disney Tim Burton's The Nightmare Before Christmas

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

Section A: Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

Section B: Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

Section C: laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation step

Section A: Check the type and quantity of components.

There are 22 bags in this set. The name and quantities of specific components are as shown , please check carefully.

Label	Content	Quantity
A01003 Light-15CM Red	Light-15CM Red	4
A01009 Light-30CM Green	Light-30CM Green	1
A01011 Light-30CM Warm White	Light-30CM Warm White	2
A01024 High-Brightness light 15CM-Warm White	High-Brightness light 15CM-Warm White	6
A01114 15cm 2x2 Double row light bar-Warm White	15cm 2x2 Double row light bar-Warm White	1
A012 Expansion Board	2 Socket Expansion Board	1
	12 Socket Expansion Board	2
	6 Socket Expansion Board	2
	4 Socket Expansion Board	2
A01305 Power Supply	Power Supply	1
A01502 Connecting Cable 15CM	Connecting Cable 15CM	2
A01505 Connecting Cable 10CM	Connecting Cable 10CM	2
A01506 Connecting Cable 20CM	Connecting Cable 20CM	3
A02508 Light Strip-Red	Light Strip-Red	1
A02509 Light Strip-Green	Light Strip-Green	2
A02517 Light Strip-Blue	Light Strip-Blue	1
A02535 Light Strip-Red	Light Strip-Red	1
A02537 Light Strip-Blue	Light Strip-Blue	1
A02551 Light Strip-Warm White-COB	Light Strip-Warm White-COB	2
A02603 Warm White-Colour String	Warm White-Colour String	1
A1031 High-Brightness Light 15CM-Red	High-Brightness Light 15CM-Red	1
A1033 High-Brightness Light 15CM-Green	High-Brightness Light 15CM-Green	2
A1035 High-Brightness Light 15CM-Blue	High-Brightness Light 15CM-Blue	1
A03801 Remote Control	Remote Control	1
Components		

Please contact us immediately if there have any missing components.

BRICK BLING


Section B: Test that each components is working properly.

We need a structure to test all lights, so take out the bag with label “USB Power Cord”and “Expansion Boards”as follows.




It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.

Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board.shown as blow.



All our connections between plug and socket are all the same as shown above. So for any such structure with plug and socket, please pay attention to the golden wire of the plug and the golden needle of the socket, they must be touched together.

The connection method between the USB Power Cord and Expansion Boards is as follows:




This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.



The USB Power Cord can be powered by phone chargers, power banks, etc.

USB connectors to connect devices



BRICK BLING

When we test "A1035 High-Brightness Light 15CM-Blue" particles, Take out the bag labelled "A1035 High-Brightness Light 15CM-Blue". Take out one of the light and connect it to the socket. Turn on the power bank, the light will turn on normally as shown below.



Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.




BRICK BLING

Section C: laying out components following the instruction.


1



2



3



Tips

The plate without slit:

The plate without slit:

The squeeze causes the protective layer of the wire to be torn apart, the positive and negative wires touch together, and the set is short-circuited, and the hot wire is crushed, the wire to be disconnected and don't work.



The plate with slit:



The plate with slit:

The wire has enough space to avoid being squeezed endowed with longer service life and more stable effect.




The slit on the the plate round 1X1 are hand-made to avoid squeeze the wire and cause short circuit and abnormalheat during installation.

4



5. Note the cutout on the small round plate The light wire is stuck in the cutout of the small round plate.





BRICK BLING



6



7




8



BRICK BLING

9



10



11



BRICK BLING



12



13





14




BRICK BLING



15



16




17




BRICK BLING

18



19




20




BRICK BLING

21



22





23





24



25





26





BRICK BLING

27




28





29



30



31





32



BRICK BLING


33





34



35





36



37



38



BRICK BLING



39




40




41





42



43




44





BRICK BLING



45



46



47





BRICK BLING


48



49





50



BRICK BLING



51



52




53





BRICK BLING

54




55





56



57



58





59



BRICK BLING


60



61



62




BRICK BLING

63




64





65





66




67



68




69



70



71




BRICK BLING

72



73




74




75



76




77



BRICK BLING

78



79




80



BRICK BLING


81





82



83




84





85



86



BRICK BLING



There are two types of string lights, look at the location in the picture to differentiate.

①: The appearance shows a flat rectangle, which can be adapted to various power sources.

②: Overall more slender and small, only for battery boxes.

Note: Please check which kind of string light belongs to in your hand first, if you need to replace it, please contact our after-sales service.


87




88



89




90




91





92



93




94




BRICK BLING

95





96




97




98



99




100




BRICK BLING


101



102



103




104





105




106



107



108





109




110



111




112




BRICK BLING


113



114



115




BRICK BLING

116




117





118




119



120



121



BRICK BLING


122



123




124




125




126




127




128




129



130




131



132



Remote control function introduce



ON: All lights turn on sequentially. **OFF:** All lights are off.


- ☀️ Function 1: A, B, C, D are turned on slowly in sequence.
- ☀️ Function 2: Breathing light mode.
- 🌈 Function 3: A and D the light is on and C and B flash alternately. **A:** Turn A on/off.
- 🌈 Function 4: A the light is on, B, C, D flow light effect I. **B:** Turn B on/off.
- 🌈 Function 5: A the light is on, B, C, D flow light effect II. **C:** Turn C on/off.
- 🌈 Function 6: Quickly open from A to D in turn. **D:** Turn D on/off.
- 🌈 Function 7: A, B, C, D flow light effect. ↑ : Increase frequency.
- 🌈 Function 8: A, B, C, D flash alternately. ↓ : Decrease frequency.
- ☀️ * : Brightness+ : Increases brightness
- ☀️ * : Brightness- : Decreases the brightness

ON: Alle Lichter werden nacheinander eingeschaltet. **OFF:** Alle Lichter sind aus.



- ☀️ Funktion 1: A, B, C, D werden langsam nacheinander eingeschaltet.
- ☀️ Funktion 2: Atemlichtmodus.
- 🌈 Funktion 3: A und D bleiben an und C und B blinken abwechselnd. **A:** Turn A on/off.
- 🌈 Funktion 4: A ist immer eingeschaltet, B, C, D fließendes Wasser Lichteffect I. **B:** Turn B on/off.
- 🌈 Funktion 5: A ist immer eingeschaltet, B, C, D, fließendes Wasser Lichteffect II. **C:** Turn C on/off.
- 🌈 Funktion 6: Schnell nacheinander von A nach D öffnen. **D:** Turn D on/off.
- 🌈 Funktion 7: A, B, C, D fließendes Wasser Lichteffect. ↑ : Increase frequency.
- 🌈 Funktion 8: A, B, C, D blinken abwechselnd. ↓ : Decrease frequency.
- ☀️ * : Brightness+ : Increases brightness
- ☀️ * : Brightness- : Decreases the brightness

BRICK BLING



The remote control does not contain batteries, please buy a CR2025 or CR2032 button battery in the nearest store and install it in the remote control.



133



134



BRICK BLING

135



136



BRICK BLING

Good job, you've done all the installation steps, power it up and enjoy your work.



The battery box can also power the set. If it is necessary to change the power supply , prepare three AAA batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the USB Power Cable from the socket of the expansion board,plug the plug of the battery box to the same socket in the expansion board to power the suit as well.

THANKS