

10351 Sherlock Holmes: Book Nook P90402

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

Section A: Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

Section B: Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .


Section C: laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation step.

Section A: Check the type and quantity of components.

This set contains nine bags labelled "1" "2" "3" "4" "5" "6" "7" "8" "9", please make sure that the components in each bag are the same as shown in the pictures.





Please contact us immediately if there have any missing components.

Section B: Test that each components is working properly.


Take out the usb power cable and expansion board from “No.6 bag” and “A01305 Power Supply bag”.




It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.

Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board.shown as blow.

Expansion Board




The connection method between the usb power cable and expansion boards is as follows:




The usb power cable can be powered by phone chargers, power banks,etc.


USB Connectors to Connect Devices



This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.



When we test the "①" lighting fixture, connect it to the expansion board, turn on the portable power bank, and the lighting fixture will light up normally, as shown in the figure below.




Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.



LED strip test:

Take out the LED light bar, connect the usb power cable, turn on the mobile power supply, the light will be on normally, as shown in the figure below.



Attention that after the test is completed, each components should put back in the corresponding bag including the socket and the touch dimming module.


Please contact us immediately if any components don't work.

Section C: laying out components following the instruction.

1




2




3



4



5



6




7




8



9





10




11





12





13



14



15



16




17



18





19





20




21




22





23




24



25




26



27



28




29





30




31




32




33



34





35




36





37





38




39



40



41





42





43



44



45




46



47



48



49




50



51




52



53




54




55





56





57




58



59




60




61





62




63



64




65




66





67



68




69




70




71




72





73




74





75




76




77




78




79





80



81




82





83




84




85




86



87



88




89



Remote Control Battery

The remote control does not contain batteries, please buy a CR2025 or CR2032 button battery in the nearest store and install it in the remote control.



Remote Control Function Introduce

ON: All lights turn on sequentially.

OFF: All lights are off.

: A, B, C, D are turned on slowly in sequence.

: Breathing light mode.

: A and D the light is on and C and B flash alternately.

: A the light is on, B, C, D flow light effect I.

: A the light is on, B, C, D flow light effect II.

: Quickly open from A to D in turn.

: A, B, C, D flow light effect.

: A, B, C, D flash alternately.

A: Turn A on/off.

B: Turn B on/off.

C: Turn C on/off.

D: Turn D on/off.

↑: Increase frequency.

↓: Decrease frequency.

+: Brightness+: Increases brightness

⚡: Brightness+: Increases brightness

90



91



Good job, you've done all the installation steps, power it up and enjoy your work.



The battery box can also power the set. If it is necessary to change the power supply , prepare three AAA batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the USB Power Cable from the socket of the expansion board,plug the plug of the battery box to the same socket in the expansion board to power the suit as well.

THANKS