

10352 The Simpsons: Krusty Burger P90902

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

Section A: Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

Section B: Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

Section C: laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation step.

Section A: Check the type and quantity of components.

This set contains fourteen bags labelled "1" "2" "3" "4" "5" "6" "7" "8" "9" "10" "11" "12" "A01305 Power Supply" "A03801 Remote Control", please make sure that the components in each bag are the same as shown in the pictures.







Remote control safety lock and battery model description

Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.



Please contact us immediately if there have any missing components.

Section B: Test that each components is working properly.


Take out the expansion board and usb power cable from "No. 9 bag " and the "A01305 Power Supply" .



It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.

Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board.shown as blow.

Side-Mounted Expansion Board




All our connections between plug and socket are all the same as shown above. So for any such structure with plug and socket, please pay attention to the golden wire of the plug and the golden needle of the socket, they must be touched together.

The connection method between the usb power cord and expansion Boards is as follows:




The USB Power Cord can be powered by phone chargers, power banks, etc.


USB Connectors to Connect Devices



This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.



When we test the "①" lighting fixtures, remove one of them and connect it to the socket. Turn on the portable power bank, and the light strip will light up normally, as shown in the figure below.



Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.



LED strip test:

Take out the led light bar, connect the usb power cable, turn on the mobile power supply, the light will be on normally, as shown in the figure below.



Attention that after the test is completed, each components should put back in the corresponding bag including the socket and the usb power cable.

Please contact us immediately if any components don't work.

Section C: laying out components following the instruction.


1



2




3





4



5




6




7




8



9




10




11



12



13



14





15




16



17





18




19





20



21



22



23




24




25




26



27




28. Find the connecting wire in the picture and thread it through the gap between the building blocks to the outside.





29




30



31



32




33




34



35




36




37



38





39



40



41



42




43. Twist the two light wires inside the room into one strand.




44



45




46




47





48





49





50



51




52




53



54



55.Push the building block up.





56.Press the lamp wire with building blocks.




57



58



59



60. Pull the lamp cord up along the building blocks, and then restore the white building block components.




61. Create a gap in the wall, and then thread the light wire through the gap in the building block into the room.



62. Combine the walls and press down on the light wires.





63




64





65




66. Translate the gray building block inward horizontally.



67. Find the light wires in the picture, wrap them around the bottom of the gray building block, and then pull them forward.





68. Move the grey building block diagonally outwards.





69







71. Move the gray building block diagonally inward.



72. Pull the lamp cord to the right, and then diagonally move the gray building block outwards to press down on the lamp cord.




73.Wrap the lamp cord around the gray building block



74.Tighten the lamp wire.



75



76




77



TIPS


The slit on the the plate round 1X1 are hand-made to avoid squeeze the wire and cause short circuit and abnormal heat during installation.

The plate without slit




The squeeze causes the protective layer of the wire to be torn apart, the positive and negative wires touch together, and the set is short-circuited and the hot or wire is crushed, the wire to be disconnected and don't work.

The plate with slit





The wire has enough space to avoid being squeezed endowed with longer service life and more stable effect.



78



79



80



81





82




83




84





85




86




87



88





89




90




91



92





93



94



95





96




97



98




99





100





101




102



103



104



105



106





107




108



109




110



111



112



113



114



115



116




117



118



119




120





121



122




123





124





125





126




127




128





129





130



131



132





133




134



135




136




137



138




139





140




141





142





143




144




145



146



147



148



Remote control safety lock and battery model description

Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.



Remote Control Function Introduce

ON: All lights turn on sequentially.

OFF: All lights are off.

☼ : A, B, C, D are turned on slowly in sequence.

☼ : Breathing light mode.

☼ : A and D the light is on and C and B flash alternately.

☼ : A the light is on, B, C, D flow light effect I.

☼ : A the light is on, B, C, D flow light effect II.

☼ : Quickly open from A to D in turn.

☼ : A, B, C, D flow light effect.

☼ : A, B, C, D flash alternately.



A: Turn A on/off.

B: Turn B on/off.

C: Turn C on/off.


D: Turn D on/off.

↑ : Increase frequency.



↓ : Decrease frequency.

⊕ : Brightness+: Increases brightness



☼ -: Brightness+: Increases brightness





149




150





151




152



153



154





Remote Control Function Introduce

ON: All lights turn on sequentially.

OFF: All lights are off.

☼ : A, B, C, D are turned on slowly in sequence.

☼ : Breathing light mode.

☼ : A and D the light is on and C and B flash alternately.

☼ : A the light is on, B, C, D flow light effect I.

☼ : A the light is on, B, C, D flow light effect II.

☼ : Quickly open from A to D in turn.

☼ : A, B, C, D flow light effect.

☼ : A, B, C, D flash alternately.



A: Turn A on/off.

B: Turn B on/off.

C: Turn C on/off.


D: Turn D on/off.

↑ : Increase frequency.

↓ : Decrease frequency.

+: Brightness+: Increases brightness

☼ -: Brightness+: Increases brightness



Good job, you've done all the installation steps, power it up and enjoy your work.



The battery box can also power the set. If it is necessary to change the power supply , prepare three AAA batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the USB Power Cable from the socket of the expansion board, plug the plug of the battery box to the same socket in the expansion board to power the suit as well.

THANKS

Tips

If you encounter any installation problems please contact the seller, we will be happy to help you solve!