

# 10365 Captain Jack Sparrow's Pirate Ship

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



# Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

## **Section A:** Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

## **Section B:** Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

## **Section C:** laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation step.

## Section A: Check the type and quantity of components.

This set contains seven bags labelled "1" "2" "3" "4" "5" "6" "7", please make sure that the components in each bag are the same as shown in the pictures.





## Remote control safety lock and battery model description

Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.




Please contact us immediately if there have any missing components.



## Section B: Test that each components is working properly.


Take out the expansion board and usb power cable from "No. 4 bag " and the " No. 6 bag" .



It is worth reminding that our products are all customized. They have a unique way of connecting. The white plug on wire and the socket of the expansion board need to be connected together to transmit power.

Note that on one side of the white plug you can see two very small golden wires that should be connected to the two golden needles in socket of the expansion board.shown as blow.

### Side-Mounted Expansion Board




All our connections between plug and socket are all the same as shown above. So for any such structure with plug and socket, please pay attention to the golden wire of the plug and the golden needle of the socket, they must be touched together.

The connection method between the usb power cord and expansion Boards is as follows:



The usb power cord can be powered by phone chargers, power banks, etc.


### USB Connectors to Connect Devices



This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.



When we test the "①" lighting fixtures, remove one of them and connect it to the socket. Turn on the portable power bank, and the light strip will light up normally, as shown in the figure below.



Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.





Attention that after the test is completed, each components should put back in the corresponding bag including the socket and the usb power cable.  
Please contact us immediately if any components don't work.

## Section C: laying out components following the instruction.



1



2



3








4




5





6




7



8




**9. Fix the lighting fixture onto the building block, and then extend the light string outwards.**








10




11




12



13





**14. Twist the longer lamp cord into a single strand, and then fold it and conceal it on the right side of the boat pole.**








15





16





17. Disassemble the connected parts.





**18. Place the light string to the right, and then restore the connected parts.**



**19**





**20**








21



22





23



24



25





26






27





28




29




30




31




32




33



34





35







36



37





38







39





40




41





42




43



44



**45. After installing the sail block parts in the middle position, restore them to the hull. (Note that the parts for securing the cables on both sides should also be fixed in place)**




**46. Take out the foremost sail and mast building block components, and restore them to the hull. (Note that the parts securing the ropes on both sides should also be fixed in place)**







47



48




49









**50. Push the cable up.**




**51. Find the light string in the picture, then tie the light wire around the boat pole in a knot, and finally thread the light wire through the hole in the building block to the left side.**




**52.** Pull down the lamp wire, then thread it through the hole in the building block to the right side, and finally, tighten the lamp wire.



**53**



**54**



55



56




57








**58. Fix the lighting decoration on the bottom of the building block component, then separate the two strands on the left side of the lighting decoration. Be careful to pull up the side with the light string. Finally, restore the building block component.**



**59**





60





61





62






**64. Wrap the light string around the back of the building block, then install the lampshade using the same method as before. Finally, secure the lampshade in its original position.**





66




67




68





69





70





**71. Take out the previously dismantled building block components and restore them. (Note that after restoration, 2 connecting wires should be left exposed)**




**72.Wrap the connecting wires inside the boat and then clip them between the boat wall and the barrel.**



**73**




**74**








75



76






77





78





79




80



81



82







83





84



85




86





87




88




89



90




91





## 92.Connect the light wires on the sail to the expansion board.



## Remote control safety lock and battery model description

Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.



# Remote Control Function Introduce

**ON:** All lights turn on sequentially.

**OFF:** All lights are off.

☼ : A, B, C, D are turned on slowly in sequence.

☼ : Breathing light mode.

☼ : A and D the light is on and C and B flash alternately.

☼ : A the light is on, B, C, D flow light effect I .

☼ : A the light is on, B, C, D flow light effect II.

☼ : Quickly open from A to D in turn.

☼ : A, B, C, D flow light effect.

☼ : A, B, C, D flash alternately.



**A:** Turn A on/off.

**B:** Turn B on/off.

**C:** Turn C on/off.


**D:** Turn D on/off.

↑ : Increase frequency.


↓ : Decrease frequency.

+: Brightness+: Increases brightness



☼ -: Brightness+: Increases brightness





93



**94. Connect the connecting wire on the lampshade to the port C of the module.**




**95. Locate the connecting cable on the expansion board at the bottom of the ship and connect it to the port D of the module.**









96



97



98





**Good job, you've done all the installation steps, power it up and enjoy your work.**



The battery box can also power the set. If it is necessary to change the power supply , prepare three aaa batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the usb power cable from the socket of the expansion board,plug the plug of the battery box to the same socket in the expansion board to power the suit as well.

**THANKS**

## **Tips**

If you encounter any installation problems please contact the seller, we will be happy to help you solve!