

# 10365 Captain Jack Sparrow's Pirate Ship

- Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



# Strategies for the Installation

This instruction divides three sections to complete the installation of the lighting set.

## **Section A:** Check the type and quantity of components.

The quantity and type of components of each products are different and it needs to be carefully checked to make sure there do have enough material. The type of components is indicated by the label on the bag.

## **Section B:** Test that each components is working properly.

Each components is made individually so it is necessary to test that each components is working properly to avoid the situation that the lighting does not work .

## **Section C:** laying out components following the instruction.

Our material is very small but not fragile, just be reminded that don't to pull the wires too hard. For different people, there may be some installation steps that you can't understand. Please look at the previous and later installation step.

## Section A: Check the type and quantity of components.

This set contains six bags labelled "1" "2" "3" "4" "5" "6", please make sure that the components in each bag are the same as shown in the pictures.



# Remote control safety lock and battery model description

Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.



Please contact us immediately if there have any missing components.

## Section B: Test that each components is working properly.

Take out the expansion board and usb power cable from "No. 3 bag " and the " No. 5 bag" .




The connection method between the usb power cord and expansion Boards is as follows:



The usb power cord can be powered by phone chargers, power banks,etc.

### USB Connectors to Connect Devices




This instruction will use the power bank as power supply . The test structure is shown as follow. All lamp in this set will be tested by this structure.





When we test the "①" lighting fixtures, remove one of them and connect it to the socket. Turn on the portable power bank, and the light strip will light up normally, as shown in the figure below.



Test each lamp according to this method. It should be noted that after the test, the lamp must be returned to the corresponding bag to avoid confusion of types.





Attention that after the test is completed, each components should put back in the corresponding bag including the socket and the usb power cable.  
Please contact us immediately if any components don't work.

## Section C: laying out components following the instruction.

1





2



3




4



5




6







7



8



9





10



11



12





13



14





15







16



17





18








19






**20. Twist the switch on the left to rotate the cannon out, and then secure the lighting fixture onto the cannon.**





21




**22.** Look to the other side, install the lighting fixtures using the same method as before, and then connect the lighting wires to the expansion board.




**23**







**25. Look to the leftmost side and connect the 20CM cable to the expansion board.**









**26.Look to the right, connect the 15CM cable to the expansion board.  
Finally, continue looking to the right and connect the 5CM cable to  
another expansion board.**



**27.Look to the far right, thread the connection wire through the gap  
in the building block to the right, and then connect it to the  
expansion board.**







## Remote Control Function Introduce

**ON:** All lights turn on sequentially.

**OFF:** All lights are off.

☼ : A, B, C, D are turned on slowly in sequence.

☼ : Breathing light mode.

☼ : A and D the light is on and C and B flash alternately.

☼ : A the light is on, B, C, D flow light effect I.

☼ : A the light is on, B, C, D flow light effect II.

☼ : Quickly open from A to D in turn.

☼ : A, B, C, D flow light effect.

☼ : A, B, C, D flash alternately.



**A:** Turn A on/off.

**B:** Turn B on/off.

**C:** Turn C on/off.

**D:** Turn D on/off.

↑ : Increase frequency.

↓ : Decrease frequency.


+: Brightness+: Increases brightness

\*-: Brightness+: Increases brightness




## Remote control safety lock and battery model description


Batteries are not included in the remote control, please go to the nearest store to buy CR2025 or CR2032 button batteries to install in the remote control.





30



31



**32. Restore the building block components in order, and then rotate the steering wheel to see if it operates normally.**



**33**



34




35








**36. Fix the lighting decoration on the bottom of the building block component, then separate the two strands on the left side of the lighting decoration. Be careful to pull up the side with the light string. Finally, restore the building block component.**



**37**




38




39




40







**42. Wrap the light string around the back of the building block, then install the lampshade using the same method as before. Finally, secure the lampshade in its original position.**



43



44




45









46





47




48



49




50




51





52



53





54









55





56




57. Turn the right switch to move the cannon out.




58



**59. Remove the gray building blocks in order, then twist the switch on the right side and move the cannon back to the interior of the ship.**





60







**61.Remove the gray building blocks in order, then twist the switch on the left and move the cannon back to the interior of the ship.**




**62**







63



64



65



**Good job, you've done all the installation steps, power it up and enjoy your work.**



**The battery box can also power the set. If it is necessary to change the power supply , prepare three aaa batteries, install them in the battery box, turn on the switch on the battery box, remove the plug of the usb power cable from the socket of the expansion board,plug the plug of the battery box to the same socket in the expansion board to power the suit as well.**

**THANKS**

## **Tips**

**If you encounter any installation problems please contact the seller, we will be happy to help you solve!**